

## Crown Cradle Bibliography

Badr (Zahr), L. K., & Abdallah, B. (2001). Physical attractiveness of premature infants affects outcome at discharge from the NICU. *Infant Behavior and Development*, 24(1), 129–133.  
[http://dx.doi.org/10.1016/S0163-6383\(01\)00068-6](http://dx.doi.org/10.1016/S0163-6383(01)00068-6)

Balan, P., Kushnerenko, E., Sahlin, P., Huotilainen, M., Naatanen, R., & Hukki, J. (2002). Auditory ERPs reveal brain dysfunction in infants with plagiocephaly. *The Journal of Craniofacial Surgery*, 13(4), 520–525.  
<https://www.ncbi.nlm.nih.gov/pubmed/12140415>

Cavalier, A., Picot, M. C., Artiaga, C., Mazurier, E., Amilhau, M. O., Froye, E., ... Picaud, J. C. (2011). Prevention of deformational plagiocephaly in neonates. *Early Human Development*, 87(8), 537–543.  
<https://www.ncbi.nlm.nih.gov/pubmed/21664772>

Collett BR , Gray KE , Starr JR , Heike CL , Cunningham ML , Speltz ML .Development at age 36 months in children with deformational plagiocephaly. *Pediatrics* . 2013 ; 131 ( 1 ): e109 - e115 .  
<https://pediatrics.aappublications.org/content/early/2012/12/19/peds.2012-1779>

Collett, B. R., Starr, J. R., Kartin, D., Heike, C. L., Berg, J., Cunningham, M. L., & Speltz, M. L. (2011). Development in toddlers with and without deformational plagiocephaly. *Archives of Pediatrics and Adolescent Medicine*, 165(7), 653–657.  
<http://dx.doi.org/10.1001/archpediatrics.2011.92>

DeGrazia, M., Giambanco, D., Hamn, G., Ditzel, A., Tucker, L., & Gauvreau, K. (2015). Prevention of deformational plagiocephaly in hospitalized infants using a new orthotic device. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 44(1), 28–41.  
[https://www.jognn.org/article/S0884-2175\(15\)31760-3/pdf](https://www.jognn.org/article/S0884-2175(15)31760-3/pdf)

Hummel, P., & Fortado, D. (2005). Impacting infant head shapes. *Advances in Neonatal Care*, 5(6), 329–340.  
<http://dx.doi.org/10.1016/j.adnc.2005.08.009>

Hutchison BL , Stewart AW , Mitchell EA . Deformational plagiocephaly:a follow-up of head shape, parental concern and neurodevelopmentat ages 3 and 4 years . *Arch Dis Child* . 2011 ; 96 ( 1 ): 85 – 90  
<https://adc.bmjjournals.com/content/96/1/85.short>

Knorr, A., Gauvreau, K., Porter, C., Serino,E. and DeGrazia, M., (2016). Use of the Cranial Cup to CorrectPositional Head Shape Deformities in Hospitalized Premature Infants. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 45, 542–552; 2016.  
<http://dx.doi.org/10.1016/j.jogn.2016.03.141>

Knorr, A., Giambanco, D., Staude, M., St. Germain, M., Porter, C., Serino, E., Gauvreau, K., DeGrazia, M., Feasibility and Safety of the Preemie Orthotic Device to Manage Deformational Plagiocephaly in Extremely Low Birthweight Infants. *Advances in Neonatal Care*, Vol. 0 (0), 1-10, 2019.

Siatkowski, R. M., Fortney, A. C., Nazir, S. A., Cannon, S. L., Panchal, J., Francel, P., ... Ahmad, W. (2005). Visual field defects in deformational posterior plagiocephaly. *Journal of American Association Pediatric Ophthalmology and Strabismus*, 9(3), 274–278.  
<http://dx.doi.org/10.1016/j.aapos.2005.01.011>

Speltz, M. L., Collett, B. R., Stott-Miller, M., Starr, J. R., Heike, C., Wolfram-Aduan, A. M., ... Cunningham, M. L. (2010). Case control study of neurodevelopment in deformational plagiocephaly. *Pediatrics*, 125(3), e537–e542.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3392083/>

Stevens, P., (2012), Beyond Cosmetic Concerns Functional Deficits Associated with Deformational Plagiocephaly. Western Media, LLC, 2012.  
[https://opedge.com/Articles/ViewArticle/2012-04\\_02](https://opedge.com/Articles/ViewArticle/2012-04_02)

van Vlimmeren, L. A., van der Graaf, Y., Boere-Boonekamp, M. M., L'Hoir, M. P., Helders, P. J. M., & Englebert, R. H. H. (2007). Risk factors for deformational plagiocephaly at birth and at 7 weeks of age: A prospective cohort study. *Pediatrics*, 119(2), e408–e418.  
<https://www.ncbi.nlm.nih.gov/pubmed/17272603>